


P.E. TRANSITION FITTINGS

TRANSITIONS FROM P.E. (POLYETHYLENE) PIPE TO STEEL MALE THREADS



90°
30" x 30"

- 3/4" #PETR7
- 1" #PETR10
- 1-1/4" #PETR12
- 1-1/2" #PETR15
- 2" #PETR20

LARGER SIZES AVAILABLE



STRAIGHT

- 3/4" #PETF7
- 1" #PETF10
- 1-1/4" #PETF12
- 1-1/2" #PETF15
- 2" #PETF20

LARGER SIZES AVAILABLE

TRACER WIRE

18 GA.



- 100' COIL #JTW100
- 500' COIL #JTW500

LARGER SIZES AVAILABLE

RIGHT / LEFT NIPPLE & COUPLING



SEE PAGE 28

P.E. PIPE (POLYETHYLENE) FOR NATURAL GAS, YELLOW



AVAILABLE LENGTHS: 20', 40', 60', 80' & 100'.

OVER 100' MUST BE IN 20' INCREMENTS.

- 3/4" #PEP7
- 1" #PEP10
- 1-1/4" #PEP12
- 1-1/2" #PEP15
- 2" #PEP20

LARGER SIZES AVAILABLE

P.E. FUSION MACHINES



SOCKET FUSION:

- RENTAL #SFMR
- PURCHASE #SFMCP

BUTT FUSION:

- RENTAL #BFMR
- PURCHASE #BFMCP

UNDERGROUND BURIAL TAPE



3" x 1000' DETECTABLE

#TADT3YG

"CAUTION: BURIED GAS LINE BELOW"

P.E. FITTINGS

FOR USE WITH POLYETHYLENE PIPE
MECHANICAL FITTINGS



P.E. MECHANICAL COUPLING

- 3/4" #PEMCO7
- 1" #PEMCO10
- 1-1/4" #PEMCO12
- 1-1/2" #PEMCO15
- 2" #PEMCO20

1" x 3/4" #PEMCO107



P.E. MECHANICAL 90°

- 3/4" #PEM97
- 1" #PEM910
- 1-1/4" #PEM912



P.E. MECHANICAL TEE

- 3/4" #PEMT7
- 1" #PEMT10
- 1-1/4" #PEMT12



P.E. PIPE CHAMFER TOOL

- 3/4" & 1" #PECT710
- 1-1/4" #PECT12
- 1-1/2" #PECT15
- 2" #PECT20

P.E. FITTINGS

(POLYETHYLENE)

FOR USE WITH
POLYETHYLENE PIPE

SOCKET FUSION

**P.E.
SOCKET
FUSION
90°**



- 3/4" #PES97
- 1" #PES910
- 1-1/4" #PES912
- 1-1/2" #PES915
- 2" #PES920

**P.E.
SOCKET
FUSION
TEE**



- 3/4" #PEST7
- 1" #PEST10
- 1-1/4" #PEST12
- 1-1/2" #PEST15
- 2" #PEST20

**P.E.
SOCKET
FUSION
CAP**



- 3/4" #PESCA7
- 1" #PESCA10
- 1-1/4" #PESCA12
- 1-1/2" #PESCA15
- 2" #PESCA20

P.E. FITTINGS

(POLYETHYLENE)

FOR USE WITH
POLYETHYLENE PIPE

SOCKET FUSION



**P.E.
SOCKET
FUSION
COUPLING**

- 3/4" #PESCO7
- 1" #PESCO10
- 1-1/4" #PESCO12
- 1-1/2" #PESCO15
- 2" #PESCO20

- 1" x 3/4" #PESCO107
- 1-1/4" x 3/4" #PESCO127
- 1-1/4" x 1" #PESCO1210
- 1-1/2" x 3/4" #PESCO157
- 1-1/2" x 1" #PESCO1510
- 1-1/2" x 1-1/4" #PESCO1512
- 2" x 3/4" #PESCO207
- 2" x 1" #PESCO2010
- 2" x 1-1/4" #PESCO2012
- 2" x 1-1/2" #PESCO2015

BUTT FUSION



**P.E.
BUTT
FUSION
COUPLING
(REDUCING)**

- 1" x 3/4" #PEBCO107
- 1-1/4" x 1" #PEBCO1210
- 1-1/2" x 3/4" #PEBCO157
- 1-1/2" x 1" #PEBCO1510
- 2" x 1" #PEBCO2010
- 2" x 1-1/2" #PEBCO2015

P.E. FITTINGS

(POLYETHYLENE)

FOR USE WITH
POLYETHYLENE PIPE

BUTT FUSION



**P.E.
BUTT
FUSION
90°**

- 3/4" #PEB97
- 1" #PEB910
- 1-1/4" #PEB912
- 1-1/2" #PEB915
- 2" #PEB920



**P.E.
BUTT
FUSION
TEE**

- 3/4" #PEBT7
- 1" #PEBT10
- 1-1/4" #PEBT12
- 1-1/2" #PEBT15
- 2" #PEBT20



**P.E.
BUTT
FUSION
CAP**

- 3/4" #PEBCA7
- 1" #PEBCA10
- 1-1/4" #PEBCA12
- 1-1/2" #PEBCA15
- 2" #PEBCA20

**STEEL PRESS TOOL
18V**



TOOL RENTAL:

1/2" - 2" JAWS ONLY #SPRR20
TOOL ONLY #PRTOR

**GAS
PRESS
CAP**



- 1/2" #MPRCA5
- 3/4" #MPRCA7
- 1" #MPRCA10
- 1-1/4" #MPRCA12
- 1-1/2" #MPRCA15
- 2" #MPRCA20
- 2-1/2" #MPRCA25
- 3" #MPRCA30
- 4" #MPRCA40

**TOOL
BOX,
AMMO
STYLE**



3 COMPARTMENTS
WATER-RESISTANT SEAL
#75605

PIPE MARKERS



SEE PAGE 230

**STEEL PRESS
FITTINGS
(NATURAL GAS)**



**GAS
PRESS
90°**

- 1/2" #MPR95
- 3/4" #MPR97
- 1" #MPR910
- 1-1/4" #MPR912
- 1-1/2" #MPR915
- 2" #MPR920
- 2-1/2" #MPR925
- 3" #MPR930
- 4" #MPR940



**GAS
PRESS
STREET 90°**

- 1/2" #MPRS95
- 3/4" #MPRS97
- 1" #MPRS910
- 1-1/4" #MPRS912
- 1-1/2" #MPRS915
- 2" #MPRS920
- 2-1/2" #MPRS925
- 3" #MPRS930
- 4" #MPRS940



**GAS
PRESS
45°**

- 1/2" #MPR45
- 3/4" #MPR47
- 1" #MPR410
- 1-1/4" #MPR412
- 1-1/2" #MPR415
- 2" #MPR420
- 2-1/2" #MPR425
- 3" #MPR430
- 4" #MPR440

**STEEL PRESS
FITTINGS
(NATURAL GAS)**



**GAS
PRESS
COUPLING
WITH STOP**

- 1/2" #MPRCO5
- 3/4" #MPRCO7
- 1" #MPRCO10
- 1-1/4" #MPRCO12
- 1-1/2" #MPRCO15
- 2" #MPRCO20
- 2-1/2" #MPRCO25
- 3" #MPRCO30
- 4" #MPRCO40

REDUCING COUPLINGS IN STOCK



**GAS
PRESS
COUPLING
NO STOP**

- 1/2" #MPRCOS5
- 3/4" #MPRCOS7
- 1" #MPRCOS10
- 1-1/4" #MPRCOS12
- 1-1/2" #MPRCOS15
- 2" #MPRCOS20
- 2-1/2" #MPRCOS25
- 3" #MPRCOS30
- 4" #MPRCOS40



**GAS
PRESS
STREET 45°**

- 1/2" #MPRS45
- 3/4" #MPRS47
- 1" #MPRS410
- 1-1/4" #MPRS412
- 1-1/2" #MPRS415
- 2" #MPRS420
- 2-1/2" #MPRS425
- 3" #MPRS430
- 4" #MPRS440

STEEL PRESS FITTINGS

(NATURAL GAS)

GAS PRESS REDUCING COUPLING



(STEEL x STEEL PIPE)

MANY SIZES AVAILABLE

GAS PRESS FITTING REDUCER



(LARGE SIDE GOES INTO FITTING)

GAS PRESS COMPANION FLANGE



- 1" #MPCRF10
- 1-1/4" #MPCRF12
- 1-1/2" #MPCRF15
- 2" #MPCRF20
- 2-1/2" #MPCRF25
- 3" #MPCRF30
- 4" #MPCRF40

STEEL PIPE CUTTER



SEE PAGE 239

STEEL PRESS FITTINGS

(NATURAL GAS)



GAS PRESS TEE

- 1/2" #MPRT5
- 3/4" #MPRT7
- 1" #MPRT10
- 1-1/4" #MPRT12
- 1-1/2" #MPRT15
- 2" #MPRT20
- 2-1/2" #MPRT25
- 3" #MPRT30
- 4" #MPRT40



GAS PRESS REDUCING TEE

MANY SIZES AVAILABLE THROUGH 4"



GAS PRESS FEMALE ADAPTER

- 1/2" #MPCRF5
- 3/4" #MPCRF7
- 1" #MPCRF10
- 1-1/4" #MPCRF12
- 1-1/2" #MPCRF15
- 2" #MPCRF20
- 2-1/2" #MPCRF25
- 3" #MPCRF30
- 4" #MPCRF40

REDUCING SIZES IN STOCK

STEEL PRESS FITTINGS

(NATURAL GAS)



GAS PRESS MALE ADAPTER

- 1/2" #MPCRM5
- 3/4" #MPCRM7
- 1" #MPCRM10
- 1-1/4" #MPCRM12
- 1-1/2" #MPCRM15
- 2" #MPCRM20
- 2-1/2" #MPCRM25
- 3" #MPCRM30
- 4" #MPCRM40



GAS PRESS UNION

- 1/2" #MPCRU5
- 3/4" #MPCRU7
- 1" #MPCRU10
- 1-1/4" #MPCRU12
- 1-1/2" #MPCRU15
- 2" #MPCRU20
- 2-1/2" #MPCRU25
- 3" #MPCRU30
- 4" #MPCRU40



GAS PRESS UNION PRESS x FIP

- 1/2" #MPCRUF5
- 3/4" #MPCRUF7
- 1" #MPCRUF10
- 1-1/4" #MPCRUF12
- 1-1/2" #MPCRUF15
- 2" #MPCRUF20

FLEXIBLE GAS PIPE FITTINGS

(FOR NATURAL GAS)

GASTITE COUPLING



- 1/2" #WFCO5
- 3/4" #WFCO7
- 1" #WFCO10

LARGER SIZES AVAILABLE

APPLIANCE STUB-OUT



- 1/2" #WFSO5
- 3/4" #WFSO7

STRIKER PLATE



- QUARTER #WFSPQ
- HALF #WFSPH
- FULL #WFSPF

TIRE PUMP

BASIC PUMP #TP1



HEAVY DUTY WITH 0-60# GAUGE #HDTPG

FLEXIBLE GAS PIPING

(FOR NATURAL GAS)



GASTITE GAS PIPE*

- 1/2" x 50' #WFP550
- 1/2" x 125' #WFP5125
- 3/4" x 50' #WFP750
- 3/4" x 125' #WFP7125
- 1" x 50' #WFP1050
- 1" x 75' #WFP1075
- 1" x 150' #WFP10150

LARGER SIZES AVAILABLE

* CERTIFICATION REQUIRED FOR PURCHASING

www.GasTite.com

JACKET STRIPPING TOOL



- 1/2" #STRP38
- 3/4" #STRP11
- 1" #STRP16

FLEXIBLE GAS PIPE CUTTER



3/8" - 1" #WFTC10

AIR TEST GAUGE



SEE PAGE 128

FLEXIBLE GAS PIPE FITTINGS

(FOR NATURAL GAS)



GASTITE MALE ADAPTER

- 1/2" #WFM5
- 3/4" #WFM7
- 1" #WFM10

LARGER SIZES AVAILABLE



GASTITE FEMALE ADAPTER

- 1/2" #WFF5
- 3/4" #WFF7
- 1" #WFF10

PIPE JOINT SEALANTS



SEE PAGES 225-226

GAS VALVES



SEE PAGE 117

GAS FLEX CONNECTOR
VINYL COVERED
(RESTAURANT APPLICATIONS)



MALE x MALE:

1/2" x 36"	#HOM3
1/2" x 48"	#HOM4
1/2" x 60"	#HOM5
3/4" x 24"	#HOM7
3/4" x 36"	#HOM8
3/4" x 48"	#HOM9
3/4" x 60"	#HOM10
1" x 24"	#HOM12
1" x 36"	#HOM13
1" x 48"	#HOM14

APPLIANCE RESTRAINING DEVICE



3' - 5' #HOM22

GAS FLEX CONNECTOR
COMMERCIAL APPLICATIONS
STAINLESS BRAID
CARBON STEEL ENDS



MALE x MALE:

1/2" x 18"	#VFCG518
3/4" x 18"	#VFCG718
1" x 18"	#VFCG1018
1-1/4" x 18"	#VFCG1218
1-1/2" x 18"	#VFCG1518
2" x 18"	#VFCG2018

OTHER SIZES AVAILABLE

GAS FLEX CONNECTOR
STAINLESS STEEL



(VALVE SOLD SEPARATELY)

3/8" x 36"	#GFC336
3/8" x 48"	#GFC348
1/2" x 18"	#GFC518
1/2" x 24"	#GFC524
1/2" x 36"	#GFC536
1/2" x 48"	#GFC548
1/2" x 60"	#GFC560
3/4" x 24"	#GFC724
3/4" x 24"	#GFC724FB
FULL BORE \rightarrow	
3/4" x 36"	#GFC736
3/4" x 48"	#GFC748
3/4" x 60"	#GFC760

GAS FLEX VALVES



STRAIGHT

<u>FEMALE INLET</u>	<u>GAS FLEX SIZE</u>	
1/2"	3/8"	#TBV-6-8
1/2"	1/2"	#TBV-8-8
3/4"	3/4"	#TBV-10-12



90°

<u>FEMALE INLET</u>	<u>GAS FLEX SIZE</u>	
3/4"	3/4"	#TBVA-10-12

GAS BALL VALVE



FEMALE THREADED

1/2"	#TBV-8
3/4"	#TBV-12
3/4" FULL PORT	#TBV-12F
1"	#TBV-16

BALL VALVE LEVER HANDLE



APPROVED FOR NATURAL GAS

1/2"	#TFP5
3/4"	#TFP7
1"	#TFP10
1-1/4"	#TFP12
1-1/2"	#TFP15
2"	#TFP20

GAS QUICK DISCONNECT

(FOR NATURAL GAS)
BRASS



1/2"	#NGQD5
3/4"	#NGQD7
1"	#NGQD10

PLUG VALVE

LUBRICATED

200#
W.O.G.



FLANGED

- 1-1/2" #PVL15
- 2" #PVL20
- 2-1/2" #PVL25
- 3" #PVL30
- 4" #PVL40
- 6" #PVL60

AVAILABLE WITH THREAD ENDS

PIPE
WRAP
&
PRIMER



SEE PAGE 218

TEFLON TAPE
(FOR NATURAL GAS)

YELLOW

1000"
LONG

1/2" WIDE



#70820

BATTERIES



SEE PAGE 257

**GAS VALVE,
BRASS**



FLAT
HEAD
(BRASS)

- 1/2" #GCFH5
- 3/4" #GCFH7
- 1" #GCFH10
- 1-1/4" #GCFH12
- 1-1/2" #GCFH15
- 2" #GCFH20

GAS SHUT-OFF WRENCH



12" #7000-EW

**GAS VALVE,
IRON**



FLAT
HEAD
(IRON)

100 P.S.I.

- 1/2" #GCIFH5
- 3/4" #GCIFH7
- 1" #GCIFH10
- 1-1/4" #GCIFH12
- 1-1/2" #GCIFH15
- 2" #GCIFH20



**BUBBLE
LEAK
DETECTOR**

8 OZ. WITH
DAUBER
#71023

16 OZ. SPRAY
#71025

LOCATES HARD TO FIND
GAS LEAKS

**DIELECTRIC UNION,
NATURAL GAS**



BLACK
STEEL

FOR NATURAL GAS

- 1/2" #DUNG5
- 3/4" #DUNG7
- 1" #DUNG10
- 1-1/4" #DUNG12
- 1-1/2" #DUNG15
- 2" #DUNG20

**GAS LOG LIGHTER
VALVE**



STRAIGHT
#LLVS

ANGLE
#LLVA

5/16" KEYS: SEE PAGE 249

LOG LIGHTER BAR



12" LONG #258LLB

TOTE TRAY



PLASTIC #T60-100

EARTHQUAKE GAS SHUTOFF VALVES

HORIZONTAL INSTALLATION



	MAX P.S.I.	
3/4"	5	#EVH7
1"	5	#EVH10
1-1/4"	5	#EVH12
1-1/2"	5	#EVH15
2"	5	#EVH20

GAS FLOW
↓

VERTICAL INSTALLATION (DOWN FLOW)



	MAX P.S.I.	
3/4"	10	#EVV7
1"	10	#EVV10
1-1/4"	10	#EVV12
1-1/2"	5	#EVV15
2"	5	#EVV20

OTHER SIZES AVAILABLE

www.LittleFireFighter.com

RAGS

WHITE COTTON

12 PACK



14" x 17" #TCRAGS

SOLENOID VALVE, BRASS



ASCO RED-HAT

BRASS BODY

GENERAL PURPOSE
NORMALLY CLOSED
5# OF PRESSURE REQUIRED ON
INLET SIDE OF VALVE TO OPEN
STANDARD VOLTAGE: 120 VOLT AC

GOOD TO 180°F:

1/4"	#8210B20
3/8"	#8210G1
1/2"	#8210G2
3/4"	#8210G9
1"	#8210G4
1-1/4"	#8210G8
1-1/2"	#8210G22
2"	#8210G100

GOOD TO 210°F:

1/2"	#8210G2-HW
3/4"	#8210G9-HW

VOLTAGE OPTIONS:
AC – 24, 240 & 480 VOLTS
DC – 6, 12, 24, 120 & 240 VOLTS

OPTIONS:
– STAINLESS STEEL BODY
– NORMALLY OPEN
– 0# DIFFERENTIAL
– EXPLOSION PROOF

REPLACEMENT COILS AND REPAIR KITS IN STOCK.

MANY OTHER VALVES AVAILABLE

www.ascovalve.com

TEFLON TAPE



SEE PAGE 225

GAS REGULATOR



3/4" #1813C-7
– 1/2" ORIFICE
– OUTLET: 6"-15" WATER COLUMN
– FLOW RATE: 500 CFH @ 5# INLET

1" #1813C-10
– 9/16" ORIFICE
– OUTLET: 6"-15" WATER COLUMN
– FLOW RATE: 1500 CFH @ 5# INLET

1-1/4" #1813C-12
– 9/16" ORIFICE
– OUTLET: 6"-15" WATER COLUMN
– FLOW RATE: 2200 CFH @ 5# INLET

OTHER SIZES AND CONFIGURATIONS AVAILABLE

SOLENOID VALVE, PLASTIC



PLASTIC BODY (NORYL)

GENERAL PURPOSE
NORMALLY CLOSED
GOOD TO 180°F
VITON SEALS
120 VOLT AC

1/2"	#PISV5
3/4"	#PISV7
1"	#PISV10

LARGER SIZES AVAILABLE