


P.E. TRANSITION FITTINGS

TRANSITIONS FROM P.E. (POLYETHYLENE) PIPE TO STEEL MALE THREADS



90°
30" x 30"

- 3/4" #PETR7
- 1" #PETR10
- 1-1/4" #PETR12
- 1-1/2" #PETR15
- 2" #PETR20

LARGER SIZES AVAILABLE



STRAIGHT

- 3/4" #PETF7
- 1" #PETF10
- 1-1/4" #PETF12
- 1-1/2" #PETF15
- 2" #PETF20

LARGER SIZES AVAILABLE

TRACER WIRE

18 GA.



- 100' COIL #JTW100
- 500' COIL #JTW500

LARGER SIZES AVAILABLE

P.E. PIPE

(POLYETHYLENE)
FOR NATURAL GAS,
YELLOW




AVAILABLE LENGTHS:
10', 20', 40', 60', 80' & 100'.
OVER 100' MUST BE IN
20' INCREMENTS.

- 3/4" #PEP7
- 1" #PEP10
- 1-1/4" #PEP12
- 1-1/2" #PEP15
- 2" #PEP20

LARGER SIZES AVAILABLE

P.E. FUSION MACHINES



SOCKET FUSION:

- RENTAL #SFMR
- PURCHASE #SFMCP

BUTT FUSION:

- RENTAL #BFMR
- PURCHASE #BFMCP

UNDERGROUND BURIAL TAPE



3" x 1000'
DETECTABLE

#TADT3YG

"CAUTION:
BURIED GAS LINE BELOW"

P.E. FITTINGS

FOR USE WITH
POLYETHYLENE PIPE
MECHANICAL FITTINGS



**P.E.
MECHANICAL
COUPLING**

- 3/4" #PEMCO7
 - 1" #PEMCO10
 - 1-1/4" #PEMCO12
 - 1-1/2" #PEMCO15
 - 2" #PEMCO20
-
- 1" x 3/4" #PEMCO107



**P.E.
MECHANICAL
90°**

- 3/4" #PEM97
 - 1" #PEM910
 - 1-1/4" #PEM912
-



**P.E.
MECHANICAL
TEE**

- 3/4" #PEMT7
 - 1" #PEMT10
 - 1-1/4" #PEMT12
-



**P.E. PIPE
CHAMFER
TOOL**

- 3/4" & 1" #PECT710
- 1-1/4" #PECT12
- 1-1/2" #PECT15
- 2" #PECT20

P.E. FITTINGS

(POLYETHYLENE)

FOR USE WITH
POLYETHYLENE PIPE

SOCKET FUSION

**P.E.
SOCKET
FUSION
90°**



- 3/4" #PES97
- 1" #PES910
- 1-1/4" #PES912
- 1-1/2" #PES915
- 2" #PES920

**P.E.
SOCKET
FUSION
TEE**



- 3/4" #PEST7
- 1" #PEST10
- 1-1/4" #PEST12
- 1-1/2" #PEST15
- 2" #PEST20

**P.E.
SOCKET
FUSION
CAP**



- 3/4" #PESCA7
- 1" #PESCA10
- 1-1/4" #PESCA12
- 1-1/2" #PESCA15
- 2" #PESCA20

P.E. FITTINGS

(POLYETHYLENE)

FOR USE WITH
POLYETHYLENE PIPE

SOCKET FUSION



**P.E.
SOCKET
FUSION
COUPLING**

- 3/4" #PESCO7
 - 1" #PESCO10
 - 1-1/4" #PESCO12
 - 1-1/2" #PESCO15
 - 2" #PESCO20
-
- 1" x 3/4" #PESCO107
 - 1-1/4" x 3/4" #PESCO127
 - 1-1/4" x 1" #PESCO1210
 - 1-1/2" x 3/4" #PESCO157
 - 1-1/2" x 1" #PESCO1510
 - 1-1/2" x 1-1/4" #PESCO1512
 - 2" x 3/4" #PESCO207
 - 2" x 1" #PESCO2010
 - 2" x 1-1/4" #PESCO2012
 - 2" x 1-1/2" #PESCO2015

BUTT FUSION



**P.E.
BUTT
FUSION
COUPLING
(REDUCING)**

- 1" x 3/4" #PEBCO107
- 1-1/4" x 1" #PEBCO1210
- 1-1/2" x 3/4" #PEBCO157
- 1-1/2" x 1" #PEBCO1510
- 2" x 1" #PEBCO2010
- 2" x 1-1/2" #PEBCO2015

P.E. FITTINGS

(POLYETHYLENE)

FOR USE WITH
POLYETHYLENE PIPE

BUTT FUSION



**P.E.
BUTT
FUSION
90°**

- 3/4" #PEB97
- 1" #PEB910
- 1-1/4" #PEB912
- 1-1/2" #PEB915
- 2" #PEB920



**P.E.
BUTT
FUSION
TEE**

- 3/4" #PEBT7
- 1" #PEBT10
- 1-1/4" #PEBT12
- 1-1/2" #PEBT15
- 2" #PEBT20



**P.E.
BUTT
FUSION
CAP**

- 3/4" #PEBCA7
- 1" #PEBCA10
- 1-1/4" #PEBCA12
- 1-1/2" #PEBCA15
- 2" #PEBCA20

FLEXIBLE GAS PIPE FITTINGS

(FOR NATURAL GAS)

GASTITE COUPLING



- 1/2" #WFCO5
- 3/4" #WFCO7
- 1" #WFCO10

LARGER SIZES AVAILABLE

APPLIANCE STUB-OUT



- 1/2" #WFSO5
- 3/4" #WFSO7

STRIKER PLATE



- QUARTER #WFSPQ
- HALF #WFSPH
- FULL #WFSPF

TIRE PUMP

BASIC PUMP #TP1



HEAVY DUTY WITH 0-60# GAUGE #HDTPG

FLEXIBLE GAS PIPING

(FOR NATURAL GAS)



GASTITE GAS PIPE

- 1/2" x 50' #WFP550
- 1/2" x 125' #WFP5125
- 3/4" x 50' #WFP750
- 3/4" x 125' #WFP7125
- 1" x 50' #WFP1050
- 1" x 75' #WFP1075
- 1" x 150' #WFP10150

LARGER SIZES AVAILABLE

CERTIFICATION REQUIRED FOR PURCHASING

www.GasTite.com

FLEXIBLE GAS PIPE CUTTER



3/8" - 1" #WFTC10

AIR TEST GAUGE



SEE PAGE 128

FLEXIBLE GAS PIPE FITTINGS

(FOR NATURAL GAS)



GASTITE MALE ADAPTER

- 1/2" #WFM5
- 3/4" #WFM7
- 1" #WFM10

LARGER SIZES AVAILABLE



GASTITE FEMALE ADAPTER

- 1/2" #WFF5
- 3/4" #WFF7
- 1" #WFF10

PIPE JOINT SEALANTS



SEE PAGES 225-226



SEE PAGE 117

**GAS FLEX CONNECTOR
VINYL COVERED
(RESTAURANT APPLICATIONS)**



MALE x MALE:

- 1/2" x 36" #HOM3
- 1/2" x 48" #HOM4
- 1/2" x 60" #HOM5

- 3/4" x 24" #HOM7
- 3/4" x 36" #HOM8
- 3/4" x 48" #HOM9
- 3/4" x 60" #HOM10

- 1" x 24" #HOM12
- 1" x 36" #HOM13
- 1" x 48" #HOM14

**APPLIANCE RESTRAINING
DEVICE**



3' - 5' #HOM22

**GAS FLEX CONNECTOR
COMMERCIAL APPLICATIONS
STAINLESS BRAID
CARBON STEEL ENDS**



MALE x MALE:

- 1/2" x 18" #VFCG518
- 3/4" x 18" #VFCG718
- 1" x 18" #VFCG1018
- 1-1/4" x 18" #VFCG1218
- 1-1/2" x 18" #VFCG1518
- 2" x 18" #VFCG2018

OTHER SIZES AVAILABLE

**GAS FLEX CONNECTOR
STAINLESS STEEL**



(VALVE SOLD SEPARATELY)

- 3/8" x 36" #GFC336
- 3/8" x 48" #GFC348

- 1/2" x 18" #GFC518
- 1/2" x 24" #GFC524
- 1/2" x 36" #GFC536
- 1/2" x 48" #GFC548
- 1/2" x 60" #GFC560

- 3/4" x 24" #GFC724
- 3/4" x 24" #GFC724FB
- FULL BORE \uparrow
- 3/4" x 36" #GFC736
- 3/4" x 48" #GFC748
- 3/4" x 60" #GFC760

GAS FLEX VALVES



STRAIGHT

- | | | |
|------------------------|----------------------------|------------|
| FEMALE
<u>INLET</u> | GAS
FLEX
<u>SIZE</u> | |
| 1/2" | 3/8" | #TBV-6-8 |
| 1/2" | 1/2" | #TBV-8-8 |
| 3/4" | 3/4" | #TBV-10-12 |



90°

- | | | |
|------------------------|----------------------------|-------------|
| FEMALE
<u>INLET</u> | GAS
FLEX
<u>SIZE</u> | |
| 3/4" | 3/4" | #TBVA-10-12 |

GAS BALL VALVE



**FEMALE
THREADED**

- 1/2" #TBV-8
- 3/4" #TBV-12
- 3/4" FULL PORT #TBV-12F
- 1" #TBV-16



**SQUARE
HEAD
VALVES
IN STOCK**

**BALL VALVE
LEVER HANDLE**



APPROVED FOR NATURAL GAS

- 1/2" #TFP5
- 3/4" #TFP7
- 1" #TFP10
- 1-1/4" #TFP12
- 1-1/2" #TFP15
- 2" #TFP20

GAS QUICK DISCONNECT

(FOR NATURAL GAS)
BRASS



- 1/2" #NGQD5
- 3/4" #NGQD7
- 1" #NGQD10

PLUG VALVE

LUBRICATED

**200#
W.O.G.**



FLANGED

- 1-1/2" #PVL15
- 2" #PVL20
- 2-1/2" #PVL25
- 3" #PVL30
- 4" #PVL40
- 6" #PVL60

AVAILABLE WITH THREAD ENDS

**PIPE
WRAP
&
PRIMER**



SEE PAGE 218

**TEFLON TAPE
(FOR NATURAL GAS)**

YELLOW

**260"
LONG**



1/2" WIDE #70820

GAS LEAK DETECTOR



#BCGLD-01-X

REQUIRES 2, AA BATTERIES
GREEN LIGHT, AIR IS SAFE.
YELLOW OR RED LIGHTS
INDICATE LEVEL OF GAS
DETECTED.

**GAS COCKS,
BRASS**



**FLAT
HEAD**

- 1/2" #GCFH5
- 3/4" #GCFH7
- 1" #GCFH10
- 1-1/4" #GCFH12
- 1-1/2" #GCFH15
- 2" #GCFH20

GAS SHUT-OFF WRENCH



12" #7000-EW



**LEVER
HANDLE**

- 1/2" #GCLH5
- 3/4" #GCLH7
- 1" #GCLH10
- 1-1/4" #GCLH12
- 1-1/2" #GCLH15
- 2" #GCLH20

**GAS COCK,
IRON**



**FLAT
HEAD
(IRON)**

100 P.S.I.

- 1/2" #GCIFH5
- 3/4" #GCIFH7
- 1" #GCIFH10
- 1-1/4" #GCIFH12
- 1-1/2" #GCIFH15
- 2" #GCIFH20

**DIELECTRIC UNION,
NATURAL GAS**



**BLACK
STEEL**

FOR NATURAL GAS

- 1/2" #DUNG5
- 3/4" #DUNG7
- 1" #DUNG10
- 1-1/4" #DUNG12
- 1-1/2" #DUNG15
- 2" #DUNG20

**GAS LOG LIGHTER
VALVES**



**STRAIGHT
#258**



**ANGLE
#259**

5/16" KEYS: SEE PAGE 249

LOG LIGHTER BAR



12" LONG #258LLB



**LEAK
DETECTOR**

8 OZ.

#45801

LOCATES HARD TO FIND
GAS LEAKS

EARTHQUAKE GAS SHUTOFF VALVES

HORIZONTAL INSTALLATION



	MAX P.S.I.	
3/4"	5	#EVH7
1"	5	#EVH10
1-1/4"	5	#EVH12
1-1/2"	5	#EVH15
2"	5	#EVH20

GAS FLOW



VERTICAL INSTALLATION (DOWN FLOW)



	MAX P.S.I.	
3/4"	10	#EVV7
1"	10	#EVV10
1-1/4"	10	#EVV12
1-1/2"	5	#EVV15
2"	5	#EVV20

OTHER SIZES AVAILABLE

www.LittleFireFighter.com

RAGS

WHITE COTTON

12 PACK



14" x 17" #TCRAGS

SOLENOID VALVE, BRASS



ASCO RED-HAT

BRASS BODY

GENERAL PURPOSE
 NORMALLY CLOSED
 5# OF PRESSURE REQUIRED ON
 INLET SIDE OF VALVE TO OPEN
 STANDARD VOLTAGE: 120 VOLT AC

GOOD TO 180°F:

1/4"	#8210B20
3/8"	#8210G1
1/2"	#8210G2
3/4"	#8210G9
1"	#8210G4
1-1/4"	#8210G8
1-1/2"	#8210G22
2"	#8210G100

GOOD TO 210°F:

1/2"	#8210G2-HW
3/4"	#8210G9-HW

VOLTAGE OPTIONS:
 AC – 24, 240 & 480 VOLTS
 DC – 6, 12, 24, 120 & 240 VOLTS

OPTIONS:
 – STAINLESS STEEL BODY
 – NORMALLY OPEN
 – 0# DIFFERENTIAL
 – EXPLOSION PROOF

REPLACEMENT COILS AND REPAIR KITS IN STOCK.

MANY OTHER VALVES AVAILABLE

www.ascovalve.com

We gladly accept...



GAS REGULATOR



3/4" #1813C-7
 – 1/2" ORIFICE
 – OUTLET: 6"-15" WATER COLUMN
 – FLOW RATE: 500 CFH @ 5# INLET

1" #1813C-10
 – 9/16" ORIFICE
 – OUTLET: 6"-15" WATER COLUMN
 – FLOW RATE: 1500 CFH @ 5# INLET

1-1/4" #1813C-12
 – 9/16" ORIFICE
 – OUTLET: 6"-15" WATER COLUMN
 – FLOW RATE: 2200 CFH @ 5# INLET

OTHER SIZES AND CONFIGURATIONS AVAILABLE

SOLENOID VALVE, PLASTIC



PLASTIC BODY (NORYL)

GENERAL PURPOSE
 NORMALLY CLOSED
 GOOD TO 180°F
 VITON SEALS
 120 VOLT AC

1/2"	#PISV5
3/4"	#PISV7
1"	#PISV10

LARGER SIZES AVAILABLE